

# Delock Internal 3.5" USB 3.2 Gen 1 Hub 4 port

## Description

This hub by Delock can be installed into a 3.5" bay of the PC. It will be connected internally via a USB pin header male on the motherboard. Up to four USB devices, as e.g. docking stations, card reader, external enclosures etc. can be connected.



**Item no. 64166**

EAN: 4043619641666

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - external:
    - 4 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
  - internal:
    - 1 x SuperSpeed USB 5 Gbps (USB 3.2 Gen 1) Type-A female
    - 1 x 4 pin plug
- Chipset: VIA VL817
- Data transfer rate up to 5 Gbps
- Cable data:
  - 1 x USB Type-A male to 1 x 19 pin USB pin header female, length ca. 74 cm (without connectors)
  - 1 x power cable 4 pin female to 1 x SATA 15 pin plug, length ca. 17 cm (without connectors)
- 3.5" metal frame
- Colour: black
- Hot Swap, Plug & Play
- Dimensions (LxWxH): ca. 102 x 95 x 26 mm

## System requirements

- Linux Kernel 3.17 or above
- Windows 8.1/8.1-64/10/10-64/11
- PC with one free 3.5" bay
- Motherboard with a free 19 pin USB pin header male
- Power supply with SATA 15 pin receptacle

---

## Package content

- 3.5" Hub
- USB cable
- Power cable
- Screws
- User manual

---

## Images



## General

Form factor:	3.5"
Function:	Plug & Play
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows 11

## Interface

External:	4 x USB 5 Gbps Type-A female
Internal:	1 x 4 pin power connector 1 x USB 5 Gbps Type-A female

## Technical characteristics

Chipset:	Genesys Logic GL3520
Data transfer rate:	USB 5 Gbps up to 5 Gb/s USB 2.0 up to 480 Mb/s

## Physical characteristics

Housing colour:	black
Housing material:	metal
Length:	102 mm
Width:	95 mm
Height:	26 mm