

# Delock 3 Port USB 5 Gbps Hub + Gigabit LAN with USB Type-C™ or USB Type-A connector in metal case

## Description

This solid USB hub by Delock with **metal housing** can be connected to a computer, laptop or mobile device via the **USB Type-A or USB-C™ interface**. Up to **3 USB devices** can be connected to the hub.

## Integrated 10/100/1000 Mbps LAN interface

In addition, the hub with integrated **RJ45 Gigabit LAN connection** expands a PC or laptop by a network interface.

## Extensive connectivity

Due to the specially designed adapter, the Delock hub can be quickly and easily connected to the USB Type-A socket. Thus, it can be easily connected to new devices with USB Type-C™ female and older devices that only have a USB Type-A connector. The **adapter is located directly on the cable** and therefore it cannot be lost.

## Small, stable and handy

Due to its **small dimensions and its sturdy housing**, this Delock hub is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



**Item no. 64282**

EAN: 4043619642823

Country of origin: China

Package: Retail Box

## Technical details

- Connectors:
  - 1 x USB 5 Gbps USB Type-C™ male
  - 3 x USB 5 Gbps Type-A female
  - 1 x Gigabit LAN RJ45 jack
- Adapter:
  - 1 x USB 5 Gbps USB Type-C™ female
  - 1 x USB 5 Gbps Type-A male
- Chipset: Genesys Logic GL3510, Realtek RTL8153
- Data transfer rate:
  - Ethernet up to 10 Mbps (Half/Full Duplex)
  - Fast Ethernet up to 100 Mbps (Half/Full Duplex)
  - Gigabit Ethernet up to 1000 Mbps (Half/Full Duplex)

- Compatible with:
    - IEEE 802.3: 10BASE-T
    - IEEE 802.3u: 100BASE-TX
    - IEEE 802.3ab: 1000BASE-T
  - Supports Auto MDI-X (automatic detection of standard or crossover network cable)
  - Supports Wake On LAN (WOL)
  - Supports IEEE 802.3az (Energy Efficient Ethernet)
  - Supports IEEE 802.1Q Virtual LAN (VLAN)
  - Support full duplex operation with IEEE 802.3x flow control and half duplex operation with back-pressure
  - Supports 4k Jumbo Frames
  - Robust metal housing
  - Dimensions (LxWxH): ca. 86 x 30 x 17 mm
  - Cable length incl. connector: ca. 20 cm
  - Colour: grey
  - Plug & Play
- 

## System requirements

- Android 13.0 or above
  - Chrome OS
  - Linux Kernel 5.19 or above
  - Mac OS 12.4 or above
  - Windows 10/10-64/11
  - iPad Air (4th Generation) or above
  - iPad Pro (3rd Generation) or above
  - Surface Pro 7
  - Device with a free USB Type-C™ port or with a free Thunderbolt™ 3 or Thunderbolt™ 4 port or
  - A free USB Type-A port
- 

## Package content

- USB hub + LAN
- User manual

## Images



## General

Function:	Plug & Play
Supported operating system:	Chrome OS Surface Pro 7 Windows 10 32-Bit Windows 10 64-Bit iPad Pro (3rd Generation) or above iPad Air (4th Generation) or above Windows 11 Mac OS 12.4 oder höher Android 13.0 or above Linux Kernel 5.19 or above

## Interface

Connector 1:	1 x USB 5 Gbps USB Type-C™ male
Connector 2:	3 x USB 5 Gbps Type-A female
connector 3:	1 x Gigabit LAN RJ45 jack

## Technical characteristics

Chipset:	Realtek RTL8153 Genesys Logic GL3510
Data transfer rate:	5 Gbps

## Physical characteristics

Cable length:	20 cm
Length:	86 mm
Width:	30 mm
Height:	17 mm
Colour:	grey