

# Delock USB Gooseneck Microphone with base and mute + on / off button

## Description

This **USB microphone** by Delock can be used for **voice and vocal transmissions**. The rubberized base provides a non-slip stand and the **gooseneck** allows the microphone to bend in the ideal direction. The LED ring and the green LED indicate operability and mute activation or deactivation by means of blue or red light. The Mute button mutes the microphone and the ON button switches it on and off.



**Item no. 65871**

EAN: 4043619658718

Country of origin: China

Package: Retail Box

## Technical details

- Connector: 1 x USB 2.0 Type-A reversible male
- Directivity: unidirectional
- Sensitivity: -44 dB +/- 3 dB
- Frequency range: 70 Hz - 9 kHz
- Sample rate: 16 Bit / 48 kHz
- Function key:
  - 1 x On / Off switch
  - 1 x mute switch
- Gooseneck, length ca. 25 cm
- Status LED
- Rubber Base
- Colour: black
- Cable length: ca. 1.7 m
- Dimensions (LxWxH): ca. 120 x 85 x 320 mm
- USB bus powered
- Plug & Play

## System requirements

- Linux Kernel 3.3 or above
- Mac OS 10.9 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- PC or laptop with a free USB Type-A port

---

## Package content

- USB microphone
- User manual

---

## Images



## General

Function:	Plug & Play
Supported operating system:	Linux Kernel 3.3 or above Mac OS 10.9 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit
LED indicator:	power and activity
Style:	with on/off button

## Interface

connector:	1 x USB 2.0 Type-A reversible male
------------	------------------------------------

## Technical characteristics

Frequency range:	70 Hz - 9 kHz
Voltage:	USB bus powered
Sensibility:	-44 dB +/- 3 dB
Sample rate:	16 Bit / 48 kHz

## Physical characteristics

Cable length:	1.7 m
Length:	120 mm
Width:	85 mm
Height:	320 mm
Colour:	black