

Delock D-Sub HD 50 pin crimp female, metal

Description

This D-Sub HD (High Density) female connector by Delock is suitable for cable mounting. On the back side there are through holes for inserting crimp contacts.



Item no. 66723

EAN: 4043619667239

Country of origin: China

Package: Zip poly bag


Technical details

- Connectors:
 - 1 x D-Sub HD 50 pin female (3 rows)
 - 50 x through hole for crimp contacts
- Cable gauge: 28 - 20 AWG
- Operating temperature: -40 °C ~ 105 °C
- Material: metal
- Dimensions (LxWxH): ca. 67.0 x 15.7 x 12.5 mm

Package content

- D-Sub HD 50 pin crimp female

Images



| Dimensions | A | B | C |
|------------|-------|-------|-------|
| 60730 | 67.04 | 61.00 | 52.34 |
| 60734 | 76.14 | 73.32 | 64.66 |
| 60738 | 85.24 | 82.42 | 76.98 |

Interface

| | |
|--------------|--------------------------------------|
| Connector 1: | 1 x D-Sub HD 50 pin female (3 rows) |
| Connector 2: | 50 x through hole for crimp contacts |

Technical characteristics

| | |
|------------------------|-----------------|
| Operating temperature: | -40 °C ~ 105 °C |
|------------------------|-----------------|

Physical characteristics

| | |
|------------------|-------------|
| Conductor gauge: | 28 - 20 AWG |
| Material: | metal |
| Length: | 67.0 mm |
| Width: | 15,7 mm |
| Height: | 12.5 mm |