

Delock Adaptor D-Sub 9 pini tată cu piulițe la D-Sub 25 pini mamă cu șuruburi

Descriere scurta

Acest adaptor îngust de la Delock poate, de exemplu, să conecteze dispozitive precum imprimante, modemuri și calculatoare cu interfețe seriale RS-232 D-Sub 9 sau D-Sub 25.

**Nr. 66982**

EAN: 4043619669820

Țara de origine: Taiwan,
Republic of ChinaPachet: Pungă din plastic
cu închidere tip fermoar

Detalii tehnice

- Conectori:
 - 1 x D-Sub 9 pini tată cu piulițe
 - 1 x D-Sub 25 pini mamă cu șuruburi
- Alocare pin: 1 – 8, 2 – 3, 3 – 2, 4 – 20, 5 – 7, 6 – 6, 7 – 4, 8 – 5, 9 – 22, ecranat
- Contacte: alamă placată cu aur
- Tipul șurubului: #4-40 UNC
- Dimensiunii (LxIxI): aprox. 53 x 18 x 13 mm

Cerinte de sistem

- O interfață gratuită D-Sub 9 pini
- O interfață gratuită D-Sub 25 pini

Pachetul contine

- Adaptor D-Sub 9 pini la D-Sub 25 pini

Imagini

DB 9 Pin	Name	DB 25 Pin
1	DCD	8
2	RXD	3
3	TXD	2
4	DTR	20
5	GND	7
6	DSR	6
7	RTS	4
8	CTS	5
9	RI	22

Interface

Conector 1:	1 x Serial D-Sub 9 male with nuts
Conector 2:	1 x Serial D-Sub 25 female with screws

Technical characteristics

Signal transmission:	TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND
----------------------	--

Physical characteristics

Pin finishing:	placat cu aur
Tipul șurubului:	#4-40 UNC
Material:	metal / plastic
Lungime:	53 mm
Width:	18 mm
Height:	13 mm
Colour:	silver / orange