

Delock USB 5 Gbps Cable USB Type-C™ male to male PD 3.0 100 W E-Marker 2 m red metal

Description

This USB cable by Delock enables the connection between a device with a USB Type-C™ connector and a PC or a laptop equipped with a free USB Type-C™ port. The integrated E-Marker chipset supports the PD 3.0 function for fast charging with a charging power of up to 100 W.

Metal housing and strain relief

Thanks to the elegant metal housing and sturdy strain relief on both sides, the cable is optimally protected against damage in everyday use.



2 m

Item no. 80091

EAN: 4043619800919

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
2 x USB 5 Gbps USB Type-C™ male
- Chipset: E-Marker
- Connector with metal housing
- Cable gauge:
32 AWG data line
22 AWG power line
- Cable diameter: ca. 5.5 mm
- Contacts gold-plated
- Connectors gold-plated
- Cable triple shielded
- Data transfer rate up to 5 Gbps
- USB Power Delivery (USB PD 3.0) support up to 100 watt (20 V / 5 A)
- Colour: black / red
- Length incl. connectors: ca. 2 m

Package content

- USB cable

Images



General

| | |
|----------------|------------|
| Specification: | USB 5 Gbps |
|----------------|------------|

Interface

| | |
|--------------|----------------------|
| Connector 1: | 1 x USB Type-C™ male |
| Connector 2: | 1 x USB Type-C™ male |

Technical characteristics

| | |
|---------------------|----------|
| Chipset: | E-Marker |
| Data transfer rate: | 5 Gbps |
| Maximum load: | 100 W |
| Maximum current: | 5 A |
| Voltage: | 20 V |

Physical characteristics

| | |
|----------------------|---------------------------------------|
| Connector finishing: | gold-plated |
| Pin finishing: | gold-plated |
| Conductor gauge: | 32 AWG data line 22 AWG power line |
| Shielding: | triple |
| Length: | 2 m |
| Colour: | black / red |
| Cable diameter: | 5.5 mm |