

# Delock Cable OCuLink PCIe SFF-8611 to U.2 SFF-8639 0.5 m

## Description

This OCuLink cable by Delock can be used to connect internal devices, e.g. an SSD with SFF-8639 connector to a controller with OCuLink SFF-8611 connector.



0,5 m

**Item no. 85802**

EAN: 4043619858026

Country of origin: Taiwan,  
Republic of China

Package: Zip poly bag

## Technical details

- Connectors:
  - host:
    - 1 x OCuLink SFF-8611 male
  - device:
    - 1 x U.2 SFF-8639 female
    - 1 x SATA 15 pin power plug
- Compliant to SFF-9402 specification 1.1
- Supports PCI Express 3.0 protocol
- Data transfer rate up to 32 Gbps
- Impedance: 85 Ohm
- Cable gauge:
  - 33 AWG data line
  - 18 + 24 AWG power line
- Cable length incl. connectors:
  - data cable ca. 50 cm
  - power cable ca. 10 cm

---

## System requirements

- A free OCuLink interface

---

## Package content

- OCuLink cable

### Interface

Connector 1:	1 x OcuLink SFF-8611 male
Connector 2:	1 x U.2 SFF-8639 female

### Technical characteristics

Data transfer rate:	up to 32 Gbps
---------------------	---------------

### Physical characteristics

Conductor gauge:	33 AWG
Length:	0,50 m