


Delock 3 in 1 Monitor Cable with USB-C™ / DisplayPort / mini DisplayPort in to HDMI out with 4K 60 Hz

Description

This monitor cable by Delock can be connected selectively to an **USB Type-C™, DisplayPort or mini DisplayPort interface**, the output is via the HDMI connector.

4K 60 Hz UHD resolution

The maximum resolution is **3840 x 2160 with 60 Hz**, depending on the system and the connected hardware.



Item no. 85974

EAN: 4043619859740

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - Input:
 - 1 x DisplayPort male
 - 1 x mini DisplayPort male
 - 1 x USB Type-C™ male
 - Output:
 - 1 x HDMI-A male
- Chipset: Realtek RTD2171U
- Resolution DisplayPort input: up to 3840 x 2160 @ 60 Hz (depending on the system and the connected hardware)
- Resolution USB Type-C™ input: up to 3840 x 2160 @ 30 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- 3 x LED indicator
- Metal housing
- Colour: anthracite
- Cable length incl. connector: ca. 1.75 m


System requirements

- Android 8.0 or above
- Chrome OS
- iPad Pro (2018)
- Linux Kernel 4.3 or above
- Mac OS 10.15.1 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64
- A free mini DisplayPort female or
- A free DisplayPort female or
- A free USB Type-C™ female port and DisplayPort alternate mode or
- Mac, PC or laptop with a free Thunderbolt™ 3 port

Package content

- 3 in 1 monitor cable

Images



General

Supported operating system:	Android 8.0 or above Chrome OS Linux Kernel 4.3 or above Mac OS 10.15.1 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit iPad Pro (2018)
-----------------------------	--

Interface

Connector 1:	1 x mini DisplayPort male
Connector 2:	1 x DisplayPort male
connector 3:	1 x USB Type-C™ male
connector 4:	1 x HDMI-A male

Technical characteristics

Chipset:	Realtek RTD2171U
----------	------------------

Physical characteristics

Cable colour:	black
Cable length incl. connector:	1.75 m