

Delock Serijski kabel RS-232 D-Sub9 ženski na ženski 2 m

Opis

Ovaj serijski kabel tvrtke Delock prikladan je kao **produžni kabel ili spojni kabel** za modem, pisač, mjerne instrumente, pretvarače, RS232 koncentrator, patch panele, itd. Kabel omogućava spajanje susjednih sustava i uređaja.

Mini D-Sub9 spojnik

Ovi kabeli pristaju svakom ulazu tipa RS-232, jer su mini D-Sub9 (44 x 33,3 x 15 mm) spojnici maleni i kompaktni. Tako se RS-232 spojnici mogu koristiti odmah jedan pored drugog.



2 m

Predmet br. 86824

EAN: 4043619868247

Zemlja podrijetla: China

Pakiranje: Plastična vrećica sa zip zatvaračem

Tehnički podaci

- Priključak:
 - 1 x serijska ženski D-Sub9 s vijcima
 - 1 x serijska ženski D-Sub9 s vijcima
- Presjek kabela: 28 AWG
- Dodjeljivanje pinova: 1:1
- Boja: crno
- Izolator: PVC
- Vrsta vijka: #4-40 UNC
- Promjer kabela: oko 5 mm
- Duljina kabela zajedno s priključkom: oko 2 m

Preduvjeti sustava

- Jedan slobodan D-Sub9 muški

Sadržaj pakiranja

- Kabel

Slike



General

| | |
|------------------|--------------------|
| Tehnički podaci: | RS-232 (EIA / TIA) |
| Style: | Mini Sub-D9 |

Interface

| | |
|---------------|---------------------------------------|
| Priključak 1: | 1 x serijska ženski D-Sub 9 s vijcima |
| Priključak 2: | 1 x serial Sub-D 9 female with screws |

Technical characteristics

| | |
|----------------------------|-----------------------------------------------------|
| Brzina prijenosa podataka: | up to 921.6 Kbps |
| Signal transmission: | TxD, RxD, RTS, CTS, DTR, DSR, DCD, RI, GND + Shield |

Physical characteristics

| | |
|-------------------------------|----------------------------------------|
| Cable type: | AWM Style 2464 28 AWG 80 °C 300 V VW-1 |
| Cable length incl. connector: | 2 m |
| Površinska zaštita kontakata: | pozlaćeni |
| Conductor material: | Copper tinned |
| Conductor gauge: | AWG 28 |
| Vrsta vijka: | #4-40 UNC |
| Boja: | crne |
| Cable jacket material: | PVC |
| Safety of Flammability: | VW-1 |