

Delock Cable connector LSA to LSA Cat.6A IP68 waterproof black

Description

This cable connector by Delock can be used to connect or extend two unassembled patch cables using LSA connection and is ideal for outdoor and industry applications.

IP68 dust and waterproof

The coupler offers increased protection against dirt and moisture for the connection of the network cables.



Item no. 87186

EAN: 4043619871865

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x LSA (toolfree)
 - 1 x LSA (toolfree)
- 1:1 connected
- Cat.6A specification
- Shielded (STP)
- TIA-568B pinout
- Protection class: IP68
- For solid or stranded wire (26 - 22 AWG)
- For cable diameter from 5.0 - 7.5 mm
- Thread size: M23 x 1.5 mm
- Operating temperature: -40 °C ~ 85 °C
- Silicone sealing ring orange
- Material: plastic
- Colour: black
- Dimensions (LxWxH): ca. 122 x 30 x 23 mm

Package content

- Cable connector
- 2 x cable manager
- 2 x cable tie

Images



General

Specification:	Cat. 6A
----------------	---------

Interface

Connector 1:	1 x LSA (toolfree)
Connector 2:	1 x LSA (toolfree)

Technical characteristics

Operating temperature:	-40 °C ~ 85 °C
------------------------	----------------

Physical characteristics

Conductor gauge:	26 - 22 AWG
Material:	Plastic
Shielding:	STP
Length:	122 mm
Width:	30 mm
Height:	23 mm
Colour:	black
Thread type:	M23
Cable diameter:	5.0 - 7.5 mm