


Delock USB Type-C™ Docking Station for Mobile Devices 4K - HDMI / Hub / SD / PD 2.0

Description

This docking station by Delock can be connected to a mobile device with a USB-C™ DP Alt Mode or Thunderbolt™ 3 port and provides a variety of interfaces. One monitor can be operated at the **HDMI** output. Three built-in **USB** ports allow the use of peripherals, as well as an **SD / micro SD** card reader, complete the features.



USB Power Delivery (USB PD 2.0) support up to 87 watt

The docking station has a **USB Type-C™ Power Delivery port** to connect the power supply of the laptop or tablet to charge it. In addition it also supplies the USB ports with power. The docking station can also be used without a power supply.

Item no. 87743

EAN: 4043619877430

Country of origin: China

Package: Retail Box

LED illumination

An internal blue **LED** illumination ensures that the ports can also be found in the dark.

Small sturdy helper

Due to its **small dimensions** and its **sturdy housing**, this Delock docking station is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.

Technical details

- Connectors:
 - 1 x USB 5 Gbps USB Type-C™ male
 - 1 x USB 5 Gbps Type-A female
 - 2 x USB 2.0 Type-A female
 - 1 x SD / SDHC / SDXC slot
 - 1 x Micro SD / SDHC / SDXC slot
 - 1 x HDMI-A female
 - 1 x USB 5 Gbps USB Type-C™ female (power supply)
- Resolution up to 3840 x 2160 @ 30 Hz
(depending on the system and the connected hardware)

- Transmission of audio and video signals
- Input power: 1 x USB 5 Gbps USB Type-C™ female max. 87 W
- It can only be used one memory card, not both at the same time
- Compatible with Samsung Dex
- Metal housing
- LED illumination
- Cable length without connectors: ca. 15 cm
- Colour: grey
- Dimensions (LxWxH): ca. 109 x 40 x 12 mm

System requirements

- Linux Kernel 4.6 or above
- Mac OS 10.14 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Windows 10 Mobile
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- iPhone 15 Pro or above
- Device with a free USB Type-C™ port and DisplayPort alternate mode or with a free Thunderbolt™ 3 port

Package content

- USB-C™ docking station
- User manual

Images



General

| | |
|-----------------------------|---|
| Supported operating system: | Linux Kernel 4.6 or above Mac OS 10.14 or above Windows 10 32-Bit Windows 10 64-Bit Windows 10 Mobile Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |
|-----------------------------|---|

Interface

| | |
|------------|--|
| connector: | 1 x USB Type-C™ male 1 x USB Type-C™ female 1 x HDMI-A female 1 x USB 5 Gbps Type-A female 2 x USB 2.0 Type-A female 1 x SD slot 1 x Micro SD Slot |
|------------|--|

Technical characteristics

| | |
|----------------------------|---------------------|
| Maximum screen resolution: | 3840 x 2160 @ 30 Hz |
|----------------------------|---------------------|

Physical characteristics

| | |
|-------------------|-------|
| Housing material: | metal |
| Cable length: | 15 cm |
| Colour: | grey |