


Delock USB Type-C[™] Docking Station 8K - HDMI / USB / PD 3.0 100 W

Description

This docking station by Delock can be connected to a computer with a USB-C™ DP Alt Mode or Thunderbolt™ 3 or Thunderbolt™ 4 port and provides a variety of interfaces. A monitor can be operated at the HDMI output port by a maximum resolution up to8K Ultra HD (7680 x 4320 @ 30 Hz). Two built-in USB Type-A and one USB-C™ port allow the use of peripherals.



Small sturdy helper

Due to its **small dimensions and its sturdy housing**, this Delock docking station is particularly suitable for travelling. It can simply be packed into the bag together with the laptop or tablet and used as needed.



Item no. 87804

EAN: 4043619878048 Country of origin: China Package: Retail Box

Technical details

- · Connectors:
 - 1 x USB Type-C™ male
 - 2 x USB 5 Gbps Type-A female
 - 1 x USB 5 Gbps USB Type-C[™] female
 - 1 x HDMI-A female
 - 1 x USB Type-C™ PD female (power supply)
- Resolution up to 7680 x 4320 @ 30 Hz (depending on the system and the connected hardware)
- Transmission of audio and video signals
- Supports HDCP 1.4 and 2.2
- Supports HDR
- Output power for host: max. 100 W
- Metal housing
- Cable length without connectors: ca. 15 cm
- Colour: grey



• Dimensions (LxWxH): ca. 97 x 37 x 10 mm

System requirements

- Android 11.0 or above
- Chrome OS
- Linux Kernel 5.11 or above
- Mac OS 12.2.1 or above
- Windows 8.1/8.1-64/10/10-64/11
- iPad Air (4th Generation) or above
- iPad Pro (3rd Generation) or above
- Surface Pro 7
- Device with a free USB Type-C[™] port and DisplayPort alternate mode or with a free Thunderbolt[™] 3 or Thunderbolt[™] 4 port

Package content

- USB-CTM docking station
- User manual

Images









General

Supported operating system:	Chrome OS
	Surface Pro 7
	Windows 10 32-Bit
	Windows 10 64-Bit
	Windows 8.1 32-Bit
	Windows 8.1 64-Bit
	iPad Pro (3rd Generation) or above
	iPad Air (4th Generation) or above
	Windows 11
	Linux Kernel 5.11 or above
	Mac OS 12.2.1 or above
	Android 11.0 or above

Interface

Connector 1:	1 x USB Type-C™ male
Connector 2:	1 x HDMI-A female
connector 3:	2 x USB 5 Gbps Type-A female
connector 4:	1 x USB 5 Gbps USB Type-C™ female

Technical characteristics

7680 x 4320 @ 30 Hz Maximum screen resolution:

Physical characteristics

Housing material:	Aluminium
Cable length:	15 cm
Length:	97 mm
Width:	37 mm
Height:	10 mm
Colour:	grey