

Delock D-Sub HD 26 pin male with housing IP67 waterproof

Description

This D-Sub male connector by Delock is suitable for solder assembly and can be used for cable assembly. The IP67 waterproof housing protects the cable wires from moisture and is ideal for use in switch cabinets.

Easy installation

The cable wires can be fed through the housing and connected to the solder contacts of the D-Sub connector. The soldered cable wires are mounted together with the connector to the housing.



Item no. 87808

EAN: 4043619878086

Country of origin: China

Package: Zip poly bag

Technical details

- Connectors:
 - 1 x D-Sub HD 26 pin male (3 rows)
 - 1 x 26 soldering pin
- Protection class: IP67
- Cable diameter: ca. 9 mm
- Silicone sealing red
- Operating temperature: -45 °C ~ 105 °C
- Colour: black
- Housing material: PA66
- Dimensions (LxWxH): ca. 80 x 49 x 22 mm

Package content

- D-Sub HD 26 pin male
- Housing

Images



Interface

| | |
|--------------|-----------------------------------|
| Connector 1: | 1 x D-Sub HD 26 pin male (3 rows) |
| Connector 2: | 1 x 26 soldering pin |

Technical characteristics

| | |
|------------------------|-----------------|
| Operating temperature: | -45 °C ~ 105 °C |
|------------------------|-----------------|

Physical characteristics

| | |
|-------------------|-------|
| Housing material: | PA66 |
| Length: | 80 mm |
| Width: | 49 mm |
| Height: | 22 mm |
| Colour: | black |
| Cable diameter: | 9 mm |