

Delock OCP 3.0 Card to 2 x SFP+ 10 Gigabit LAN

Description

The OCP 3.0 card by Delock offers **two network ports** with a data transfer rate up to **10 Gbps**.

OCP NIC 3.0 Small Form Factor (SFF)

The Open Compute Project provides open and unified standards that make data centers more energy-efficient and cost-effective. The OCP NIC 3.0 SFF interface for servers supports **PCI Express 4.0 with 16 lanes**. The mechanical design simplifies maintenance and servicing, as it is no longer necessary to open the server housing for replacement.



Item no. 88386

EAN: 4043619883868

Country of origin: China

Package: Box


Technical details

- Connectors:
 - external: 2 x SFP+ slot for 10 Gbps SFP+ module
 - internal: 1 x OCP 3.0 4C+ connector
- OCP 3.0 W1 SFF 76 mm
- Fastening with pull tab
- Chipset: Intel X710
- Data transfer rate:
 - 10 Gigabit Ethernet up to 10 Gbps
 - PCI Express x8 up to 64 Gbps
- Supports IEEE 802.3ad Link Aggregation
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 9k Jumbo Frames

Package content

- OCP 3.0 card
- User manual

Images



Interface

External:	2 x SFP+ slot for 10 Gbps SFP+ module
Internal:	1 x OCP 3.0 4C+ connector

Technical characteristics

Chipset:	Intel® X710
Data transfer rate:	Gigabit Ethernet up to 10 Gbps