

# Delock LTE Antena I-PEX Inc., MHF® I muški 2,0 - 3,5 dBi 1.13 15 cm PCB interna samoljepljiva

## Opis

Ova Delock LTE antena omogućuje vam uporabu različitih LTE opsega na otvorenim i u zatvorenim prostorima. U potpunosti je usklađena za GSM, UMTS, LTE, LoRa, NB-IoT, ISM, Bluetooth, WLAN 2,4 GHz, ZigBee, DECT i Z-Wave.



15 cm

### Predmet br. 88981

EAN: 4043619889815

Zemlja podrijetla: Taiwan,  
Republic of China

Pakiranje: Plastična  
vrećica sa zip zatvaračem

## Tehnički podaci

- Priključak: 1 x I-PEX Inc., MHF® I muški
- Frekvencijski opseg:
  - 791 - 960 MHz
  - 1710 - 2170 MHz
  - 2500 - 2700 MHz
- GSM, UMTS, LTE, ZigBee, DECT, Z-Wave, NB-IoT, WLAN, Bluetooth, LoRa
- Pojačanje antene: 2,0 - 3,5 dBi
- Impedancija: 50 ohma
- VSWR: 3,5
- Način ugradnje: samoljepljiva
- Radna temperatura: -10 °C ~ 55 °C
- Tip kabela: koaksijalni
- Vrsta kabela: 1.13
- Boja kabela: crna
- Promjer kabela: oko 1,13 mm
- Slabljenje kabela: 3,2 dB @ 2,4 GHz po metru
- Najmanji polumjer savijanja: 4,5 mm

- Duljina kabela zajedno s priključkom: oko 15 cm
- Mjere (DxŠ): oko 45 x 33 mm








## Preduvjeti sustava

- Uređaj s besplatnim ili I-PEX Inc., MHF® I priključkom

## Sadržaj pakiranja

- Antena

## Slike



## General

Mounting type:	Samoljepljiva
Suitable for indoor:	Yes (Da)

## Interface

priključak:	1 x I-PEX Inc., MHF® I muški
-------------	------------------------------

## Technical characteristics

Frequency range:	2500 MHz - 2700 MHz 791 - 960 MHz 1710 MHz - 2170 MHz
Antenna gain:	2,0 - 3,5 dBi
Impedancijaa:	50 Ω
Radna temperatura:	-10 °C ~ 55 °C

## Physical characteristics

Antenna type:	PCB
Cable category:	koaksijalni
Cable attenuation:	3.2 dB @ 2.4 GHz per meter
Boja kabela:	crne
Cable length incl. connector:	15 cm
Duljina:	45 mm
Width:	33 mm
Najmanji polumjer savijanja:	4,5 mm