


Delock LTE Antena I-PEX Inc., MHF® I muški 2 - 3 dBi 1.13 10 cm PCB interna samoljepljiva

Opis

Ova Delock LTE antena omogućuje vam uporabu različitih LTE opsega na otvorenim i u zatvorenim prostorima. U potpunosti je usklađena za GSM, UMTS, LTE, LoRa, NB-IoT, ISM, Bluetooth, WLAN 2,4 GHz, ZigBee, DECT i Z-Wave.



10 cm

Predmet br. 88988

EAN: 4043619889884

Zemlja podrijetla: Taiwan,
Republic of China

Pakiranje: Plastična
vrećica sa zip zatvaračem

Tehnički podaci

- Priključak: 1 x I-PEX Inc., MHF® I muški
- Frekvencijski opseg:
690 - 960 MHz
1710 - 2700 MHz
- GSM, UMTS, LTE, ZigBee, Z-Wave, NB-IoT, WLAN 2,4 GHz, Bluetooth, ISM, DECT, LoRa
- Pojačanje antene: 2 - 3 dBi
- Impedancija: 50 ohma
- VSWR: 1,5
- Način ugradnje: samoljepljiva
- Radna temperatura: -10 °C ~ 55 °C
- Tip kabela: koaksijalni
- Vrsta kabela: 1.13
- Boja kabela: siv
- Promjer kabela: oko 1,13 mm
- Slabljenje kabela: 3,2 dB @ 2,4 GHz po metru
- Najmanji polumjer savijanja: 4,5 mm

- Duljina zajedno s priključkom (L): oko 10 cm
 - Mjere (DxŠxV): oko 96,0 x 14,0 x 0,9 mm
-





Preduvjeti sustava

- Uređaj s besplatnim ili I-PEX Inc., MHF® I priključkom
-



Sadržaj pakiranja

- Antena


Slike




698.000MHz




698.000MHz H





698.000MHz E1




698.000MHz E2




715.800MHz




715.800MHz H





715.800MHz E1




715.800MHz E2




751.400MHz






751.400MHz H





751.400MHz E1




751.400MHz E2




880.000MHz




880.000MHz H





880.000MHz E1




880.000MHz E2




884.000MHz




884.000MHz H





2500.000MHz E1




2500.000MHz E2




2540.000MHz




2540.000MHz H





2540.000MHz E1




2540.000MHz E2




2620.000MHz




2620.000MHz H



2620.000MHz E1



2620.000MHz E2



General

Mounting type:	Samoljepljiva
Suitable for indoor:	Yes (Da)

Interface

priključak:	1 x I-PEX Inc., MHF® I muški
-------------	------------------------------

Technical characteristics

Frequency range:	1710 - 2700 MHz 690 - 960 MHz
Antenna gain:	2 - 3 dBi
Impedancijaa:	50 Ω
Radna temperatura:	-10 °C ~ 55 °C
VSWR:	1,5

Physical characteristics

Antenna type:	PCB
Cable category:	koaksijalni
Cable attenuation:	3.2 dB @ 2.4 GHz per meter
Boja kabela:	siv
Cable length incl. connector:	10 cm
Duljina:	96,0 mm
Width:	14,0 mm
Height:	0,9 mm
Najmanji polumjer savijanja:	4,5 mm