

Delock PCI Express x4 Card to 4 x RJ45 2.5 Gigabit LAN RTL8125

Description

The PCI Express card by Delock offers **four network ports** with a data transfer rate up to 2500 Mbps.

NBASE-T for higher speed

Modern services and new technologies require higher bandwidths. NBASE-T technology enables speeds of 1 Gbps and **2.5 Gbps** with conventional networking cables. The best possible transmission rate is set automatically.



Item no. 89192

EAN: 4043619891924 Country of origin: China Package: Box

Technical details

- Connectors: external: 4 x 2.5 Gigabit LAN RJ45 jack internal: 1 x PCI Express x4, V2.1
- Chipset: Realtek RTL8125B
- Data transfer rate: Ethernet up to 10 Mbps
 Fast Ethernet up to 100 Mbps
 Gigabit Ethernet up to 1000 Mbps
 NBASE-T with up to 2.5 Gbps
 PCI Express x4 up to 16 Gbps
- Compatible with IEEE 802.3, IEEE 802.3u, IEEE 802.3ab
- Supports Wake On LAN (WOL)
- Supports IEEE 802.1P layer 2 priority encoding
- Supports IEEE 802.3x full duplex flow control
- Supports IEEE 802.1Q Virtual LAN (VLAN)
- Supports 16k Jumbo Frames
- Supports PXE
- LED indicator for link and activity

DATASHEET



System requirements

- Windows 8.1/8.1-64/10/10-64
- PC with one free PCI Express slot

Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

Images





General

| Supported operating system: | Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit |
|-----------------------------|--|
| LED indicator: | Windows 8.1 64-Bit power and activity |

Interface

| External: | 4 x Gigabit LAN RJ45 jack |
|-----------|---------------------------|
| Internal: | 1 x PCI Express x4, V2.1 |

Technical characteristics

| Chipset: | Realtek RTL8125B |
|---------------------|--|
| Data transfer rate: | Ethernet up to 10 Mbps Fast Ethernet up to 100 Mbps Gigabit Ethernet up to 1 Gbps Gigabit Ethernet up to 2.5 Gbps |

Physical characteristics

| Slot bracket: | Low Profile |
|---------------|-------------|
| | standard |