


# Delock PCI Express Card to 1 x Parallel

## Description

The Delock PCI Express card expands a PC by one external parallel port. Different devices such as scanner, printer etc. can be connected to this card. By using the included low profile bracket, the PCI Express card can be also installed into a Mini-PC.



**Item no. 89445**

EAN: 4043619894451

Country of origin: China

Package: Retail Box

## Special features

- This PCIe card is Windows Server 2019 WHQL certified

## Technical details

- Connector:  
external: 1 x Parallel DB25 female  
internal: 1 x PCI Express x1, V2.0
- Chipset: SUN2212
- Data transfer rate up to 1.8 MB/s
- FIFO: 16 byte
- SPP, EPP, ECP, BPP compatible to IEEE 1284
- Windows WHQL certified

## System requirements

- Windows 7/7-64/8/8-64/8.1/8.1-64/10/10-64/11, Windows Server 2012 / 2016 / 2019
- PC with one free PCI Express slot

---

## Package content

- PCI Express card
- Low profile bracket
- Driver CD
- User manual

---

## Images



## General

Form factor:	Low Profile
Specification:	IEEE1284 SPP, EPP, ECP, BPP
Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8 32-bit Windows 8 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2012 R2 Windows Server 2012 Windows Server 2016 Windows 11
Slot:	PCIe

## Interface

External:	1 x Parallel DB25 female
Internal:	1 x PCI Express x1, V2.0

## Technical characteristics

Chipset:	SUN2212
Data transfer rate:	1,8 MB/s
FIFO:	16 byte
Operating temperature:	0 °C ~ 60 °C
Humidity:	5 ~ 95 %
Data transmission:	Bi-directional

## Physical characteristics

Slot bracket:	Low Profile standard
Length:	69 mm
Width:	65 mm
Height:	11 mm