


Delock PCI Express kartica > 1 x interni USB 3.1 Gen 2 ključ A 20-pinski ženski

Opis

Ova PCI Express kartica tvrtke Delock proširuje računalo pomoću internog USB 3.1 ključa A 20-pinski ženski ulaz. Razni kabeli mogu se spojiti na karticu kako bi se omogućilo ili jedno USB Type-C™ ili jedno USB Tip-A sučelje.



Predmet br. 89603

EAN: 4043619896035

Zemlja podrijetla: Taiwan,
Republic of China

Pakiranje: Retail Box

Tehnički podaci

- Priključak:
unutarnji:
 - 1 x SuperSpeed USB 10 Gbps (USB 3.1 Gen 2) ključ A 20-pinski ženski
 - 1 x SATA 15-polni kabel napajanja muški
 - 1 x PCI Express x4, V3.0
- Skup čipova: Asmedia ASM2142
- Brzina prijenosa podataka do:
 - SuperSpeed USB 10 Gbps,
 - SuperSpeed USB 5 Gbps,
 - Hi-Speed 480 Mbps,
 - Full-Speed 12 Mbps,
 - Low-Speed 1,5 Mbps
- Izvor napajanja putem PCI Express sučelja ili putem SATA 15-polnog konektora napajanja
- Podržava eXtensible Host Controller Interface (xHCI) specifikacije 1.1
- Sukladno protokolu USB Attached SCSI (UASP) ver. 1.0

Preduvjeti sustava

- Windows 7/7-64/8.1/8.1-64/10/10-64, Linux ex Kernel 4.4.x
- Računalo s jednim slobodnim PCI Express x4 / x8 / x16 / x32 utorom
- Dodatno: izvor napajanja sa slobodnim SATA priključkom za napajanje

Sadržaj pakiranja

- PCI Express kartica
- Nosač niskog profila
- Korisnički priručnik

Slike



General

Tehnički podaci:	USB 10 Gbps
Supported operating system:	Linux Kernel 4.4 ili noviji Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

Interface

Unutarnji:	1 x PCI Express x4, V3.0 1 x USB 10 Gbps ključ A 20-pinski ženski 1 x SATA 15-polni kabel napajanja muški
------------	---

Technical characteristics

Skup čipova:	Asmedia ASM2142
Brzina prijenosa podataka:	10 Gbps

Physical characteristics

Slot bracket:	niskoprofilni standard
---------------	---------------------------