


# Delock Placă PCI Express x1 > 3 x extern FireWire B + 1 x intern FireWire A

## Descriere scurta

Această placă PCI Express de la Delock extinde PC-ul cu trei porturi FireWire 800 externe, precum și cu un port FireWire 400 intern. La această placă se pot conecta diferite dispozitive FireWire, de exemplu incinte externe, camere digitale, camere video, adaptoare etc.

**Nr. 89864**

EAN: 4043619898640

Țara de origine: China

Pachet: Retail Box

## Detalii tehnice

- Conectori:
  - extern:
    - 3 x FireWire 1394B 9 pini mamă
  - intern:
    - 1 x PCI Express x1, V1.0a
    - 1 x FireWire 1394A 6 pini mamă
    - 1 x pin header cu 9 pini (distribuit cu FireWire A intern)
- Chipset: Texas Instruments
- Rată transfer date:
  - FireWire A de până la 400 Mbps
  - FireWire B de până la 800 Mbps
- Acceptă specificațiile OHCI V1.0 și V1.0
- Înlocuire la cald, Plug & Play

## Cerinte de sistem

- Windows 7/7-64/8.1/8.1-64/10/10-64, ex Linux Kernel 2.6.x / Kernel 4.9.x

- PC cu slot PCI Express liber




---

## Pachetul contine

- Placă PCI Express
- CD cu drivere
- Manual de utilizare

---

## Imagini



## General

Function:	Cuplare la cald Înlocuire la cald
Supported operating system:	Linux Kernel 2.6 sau superior Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

External:	3 x FireWire 1394B 9 pin female
Internal:	1 x FireWire 1394A 6 pini mamă 1 x PCI Express x1, V1.0a

## Technical characteristics

Chipset:	Texas Instruments
----------	-------------------

## Physical characteristics

Slot bracket:	standard
---------------	----------