


Delock PCI Express x16 Card to 1 x internal U.2 NVMe SFF-8639

Description

This PCI Express card by Delock expands the PC by one **U.2 interface**. It supports the connection of a U.2 SSD in 2.5" format. Further it is possible to connect a **2.5" SSD / HDD** by connecting the SATA port to the motherboard.



Item no. 90051

EAN: 4043619900510

Country of origin: China

Package: Retail Box

Technical details

- Connectors:
 - internal:
 - 1 x U.2 SFF-8639 female
 - 1 x PCI Express x16 (4-Lane), V4.0
 - 1 x SATA 6 Gb/s 7 pin plug
- For 2.5" NVMe SSD or SATA HDD / SSD
- Bootable
- Supports NVM Express (NVMe)
- Supports TRIM
- 1 x LED indicator
- 4 x mounting hole for 2.5" drive

System requirements


- Linux Kernel 5.4 or above
- Windows 8.1/8.1-64/10/10-64/11
- Windows Server 2019

- PC with one free PCI Express x16 / x32 slot

Package content

- PCI Express card
- User manual

Images



General

Function:	bootable
Supported operating system:	Linux Kernel 5.4 or above Windows 10 32-Bit Windows 10 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2019 Windows 11
LED indicator:	1 x

Interface

Internal:	1 x U.2 SFF-8639 male 1 x SATA 7 pin plug 1 x PCI Express x4, V4.0
-----------	--