


# Delock Placă PCI Express x1 SATA cu 8 porturi - Factor de formă cu profil redus

## Descriere scurta

Placa PCI Express de la Delock extinde PC-ul cu opt porturi SATA interne. Puteți conecta diferite dispozitive, precum unități SSD, hard diskuri, unități DVD etc. la placă.



**Nr. 90072**

EAN: 4043619900725

Țara de origine: China

Pachet: Retail Box

## Detalii tehnice

- Conectori:
  - 8 x SATA 6 Gb/s, 7 pini tată
  - 1 x PCI Express x1, V2.0
  - 8 x conector cu știft de 2 pini pentru LED
- Chipset: Asmedia ASM1064, ASM1182E
- Acceptă caracteristica NCQ (Native Command Queuing - Comenzi native în așteptare)
- Acceptă S.M.A.R.T.
- Acceptă TRIM
- Acceptă DevSleep
- Înlocuire la cald
- Cu posibilitate de încărcare a sistemului

## Cerinte de sistem

- Linux Kernel 5.8 sau superior
- Windows 8.1/8.1-64/10/10-64
- Windows Server 2019

- PC cu slot PCI Express liber

---

## Pachetul contine

- Placă PCI Express
- Consolă minimalistă
- Manual de utilizare

---

## Imagini



## General

Formă:	profil redus
Function:	Înlocuire la cald Bootabil TRIM S.M.A.R.T.
Supported operating system:	Linux Kernel 5.8.0 or above Windows 10 32-bit Windows 10 64-bit Windows 8.1 32-Bit Windows 8.1 64-Bit Windows Server 2019

## Interface

Conector 1:	8 x SATA 6 Gb/s 7 pin plug
Conector 2:	1 x PCI Express x1, V2.0
connector 3:	8 x 2 pin pin header for LED

## Technical characteristics

Chipset:	ASM1182e Asmedia ASM1064
Data transfer rate:	6 Gb/s