

Delock 5G LTE, WLAN antenă SMA tată 2,5 dBi, omnidirecțională, fixa, negru, autoadeziv

Descriere scurta

Această antenă 5G LTE și WLAN poate fi instalată în interior și poate fi utilizată pentru recepția de benzi diferite. Este complet compatibil cu GSM, CDMA, GPRS, UMTS, LTE, 5G low band Sub-6 GHz, Bluetooth, WiFi, WLAN, Zigbee și ISM.

**Nr. 90101**

EAN: 4043619901012

Țara de origine: Taiwan,
Republic of China

Pachet: Retail Box

Detalii tehnice

- Conector: 1 x SMA tată
- Interval frecvență:
600 MHz - 960 MHz
1710 MHz - 6000 MHz
- Amplificare antenă: 2,5 dBi
- Impedanță: 50 Ohm
- VSWR: 2,0:1
- Tip cablu: RG-174
- Atenuare cablu: 0,9 dB @ 800 MHz pe metru
- Culoare cablu: negru
- Lungime cablu: aprox. 3 m
- Temperatură în stare de funcționare: -20 °C ~ 80 °C
- Material carcasă: ABS rezistent la UV
- Dimensiunii (LxlxÎ): aprox. 129,5 x 22,8 x 7,0 mm

Cerinte de sistem

- Dispozitiv cu un port mamă SMA liber
-

Pachetul contine

- Antenă
-

Imagini



General

Mounting type:	Auto-adeziv
Suitable for indoor:	Da

Interface

connector:	1 x SMA tată
------------	--------------

Technical characteristics

Frequency range:	600 MHz - 960 MHz 1710 MHz - 6000 MHz
Antenna gain:	2.5 dBi
Impedance:	50 Ohm
Temperatură în stare de funcționare:	-20 °C ~ 80 °C
VSWR:	2,0

Physical characteristics

Antenna type:	omnidirecțională
Cable category:	coaxial
Cable type:	RG-174
Cable attenuation:	1.5 dB @ 1.5 GHz per meter
Cable colour:	negru
Cable length incl. connector:	3 m
Lungime:	129.5 mm
Width:	22,8 mm
Height:	7 mm
Colour:	negru