


# Delock PCI Express x4 Card to 1 x internal OCuLink SFF-8612 - Low Profile Form Factor

## Description

This PCI Express card by Delock expands the PC by one SFF-8612 interface. It can be connected e.g. one SSD by using an optional cable. The card transmits PCI Express signals using the NVMe protocol.



**Item no. 90307**

EAN: 4043619903078

Country of origin: Taiwan,  
Republic of China

Package: Box

## Technical details

- Connectors:
  - 1 x OCuLink SFF-8612 female
  - 1 x PCI Express x4, V3.0
- Data transfer rate up to 32 Gbps
- 1 x LED for attendance
- Bootable, ex UEFI version 2.3.1
- Supports NVM Express (NVMe) 1.2


## System requirements

- Linux Kernel 4.3 or above
- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

## Package content

- PCI Express card
- Low profile bracket
- Mounting material
- User manual

## Images



## General

Function:	Bootable, ex UEFI 2.3.1 NVM Express (NVMe)
Supported operating system:	Linux Kernel 4.3 or above Windows 10 32-Bit Windows 10 64-Bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit

## Interface

Internal:	1 x PCI Express x4, V3.0 1 x OCuLink SFF-8612 female
-----------	---

## Technical characteristics

Data transfer rate:	up to 32 Gbps
---------------------	---------------

## Physical characteristics

Slot bracket:	standard Low Profile
---------------	-------------------------