


Delock Placă PCI Express la 1 x paralelă IEEE1284

Descriere scurta

Această placă PCI Express de la Delock extinde un PC printr-un port paralel extern. Diferite dispozitive, cum ar fi scanner, imprimantă etc., pot fi conectate la acest card.



Nr. 90412

EAN: 4043619904129

Țara de origine: China

Pachet: Retail Box

Detalii tehnice

- Conectori:
extern: 1 x paralelă DB25 mamă
intern: 1 x PCI Express x1, V1.1
- Chipset: WCH382L
- Rată de transfer a datelor de până la 1,5 Mbps
- FIFO: 256 octeți
- SPP, EPP, ECP compatibil cu IEEE 1284
- Temperatură în stare de funcționare: -40 °C ~ 85 °C
- Umiditate relativă: 0 - 95% (fără condens)
- Dimensiunii (LxlxÎ): aprox. 79 x 59 x 13 mm

Cerinte de sistem

- Windows 7/7-64/8.1/8.1-64/10/10-64/11
- Windows Server 2008 R2/Server 2012/Server 2012 R2/Server 2016
- PC cu slot PCI Express liber

Pachetul contine

- Placă PCI Express
- Consolă minimalistă
- CD cu drivere
- Manual de utilizare

Imagini



General

| | |
|-----------------------------|--|
| Formă: | profil redus |
| Specification: | IEEE1284 PCIe 1.1 SPP, EPP, ECP |
| Supported operating system: | Windows 10 32-bit Windows 10 64-bit Windows 7 32-Bit Windows 7 64-Bit Windows 8.1 32-Bit Windows 8.1 64-Bit |
| Slot: | PCIe |

Interface

| | |
|-----------|--------------------------|
| External: | 1 x Parallel DB25 female |
| Internal: | 1 x PCI Express x1, V1.1 |

Technical characteristics

| | |
|---------------------|----------------|
| Chipset: | WCH CH382L |
| Data transfer rate: | 1.5 MBps LPT |
| Data transmission: | Bi-directional |

Physical characteristics

| | |
|---------------|--------------------------|
| Slot bracket: | profil redus standard |
| Lungime: | 79 mm |
| Width: | 59 mm |
| Height: | 13 mm |