


# Delock 2 ulaza SATA PCI Express x1 Kartice - niskoprofilni faktor oblika

## Opis

Ova Delock PCI Express kartica proširuje stolno računalo za dva unutarnja SATA priključka. Na karticu se mogu spojiti različiti uređaji, kao što su SSD pogoni, tvrdi diskovi, DVD pogoni, itd.



### Predmet br. 90431

EAN: 4043619904310

Zemlja podrijetla: China

Pakiranje: Retail Box

## Tehnički podaci

- Priključak:  
unutarnji:  
2 x 7-pinski SATA 6 Gb/s, muški  
1 x PCI Express x1, V3.0
- Skup čipova: JMicron JMB582
- 3 x LED indikator
- Podrška Native Command Queuing (NCQ)
- Podrška S.M.A.R.T.
- Podrška TRIM
- Podrška DevSleep
- Brza zamjena
- Može se pokrenuti

## Preduvjeti sustava

- Linux Kernel 3.3 ili noviji
- Windows 7/7-64/8.1/8.1-64/10/10-64/11

- Računalo s jednim slobodnim PCI Express utorom


---

## Sadržaj pakiranja

- PCI Express kartica
- Nosač niskog profila
- Korisnički priručnik

---

## Slike



## General

|                             |   |
|-----------------------------|---|
| Čimbenik oblika:            | niskoprofilni   |
| Supported operating system: | Linux Kernel 3.3 ili noviji<br>Windows 10 32-bit<br>Windows 10 64-bit<br>Windows 7 32-Bit<br>Windows 7 64-Bit<br>Windows 8.1 32-Bit<br>Windows 8.1 64-Bit<br>Windows 11 |
| LED indikator:              | 3 x   |

## Interface

|               |                            |
|---------------|----------------------------|
| Priključak 1: | 1 x PCI Express x1, V3.0   |
| Priključak 2: | 2 x SATA 6 Gb/s 7 pin plug |

## Physical characteristics

|               |                           |
|---------------|---------------------------|
| Slot bracket: | niskoprofilni<br>standard |
|---------------|---------------------------|