


# Delock USB 2.0 modul kamere 8 megapiksela IMX179QQH5-C Sony® Starvis™ 64° V51 automatski fokus

## Opis

Ovaj USB 2.0 modul kamere tvrtke Delock u kompaktnoj izradi nudi visoku rezoluciju i nisku potrošnju. Idealno je rješenje za instalaciju u industrijskim komponentama poput IPC-ova, integriranih sustava, senzora i u proizvodnji uređaja. Uporaba fotoosjetljivog senzora s pozadinskim osvjetljenjem (BSI) širi raspon ovog modula.



## Napomena

Automatski fokus ovog modula kamere može se deaktivirati i individualno podešavati.

### Predmet br. 96360

EAN: 4043619963607

Zemlja podrijetla: China

Pakiranje: Retail Box

## Tehnički podaci

- Priključak: 1 x 5-polna USB 2.0-polna ženska priključnica SMT, korak udaljenosti 1,00 mm
- Rezolucija: 8,0 megapiksela
- S optičkim infracrvenim filtrom
- Struja potrošnje: aktivan senzor: 110 mA ± 5 mA na 640 x 480 piksela
- Radni napon: 5 V DC
- Radna temperatura: 5 °C ~ 50 °C
- Vlaga pri radu: 20 ~ 80 %
- Veličina senzora: 1/3,2"
- Osjetljivost: 0,6 V / lx s
- Razina buke signala (SNR): otpr. 36 dB
- Dinamički raspon: 68 dB
- Automatski fokus: 0,2 m - beskonačno
- Otvor: F/2,8
- Broj sličica:
  - 320 x 240 @ 30 Hz
  - 352 x 288 @ 30 Hz
  - 640 x 480 @ 30 Hz

900 x 600 @ 30 Hz

1280 x 720 @ 30 Hz

1600 x 1200 @ 30 Hz

1920 x 1080 @ 30 Hz

2048 x 1536 @ 20 Hz

2560 x 1440 @ 30 Hz

2592 x 1944 @ 20 Hz

3264 x 1836 @ 15 Hz

3264 x 2448 @ 15 Hz

- Mjere (DxŠxV): oko 60,0 x 9,0 x 5,8 mm

---

## Preduvjeti sustava

- Android 11.0 ili noviji
- Chrome OS
- Linux Kernel 5.15 ili noviji
- Mac OS 12.4 ili noviji
- Windows 10/10-64/11


---

## Sadržaj pakiranja

- Modul kamere
- CD s korisničkim priručnikom

---

## Slike



## General

|                             |  |
|-----------------------------|--|
| Supported operating system: | Chrome OS<br>Windows 11<br>Mac OS 12.4 oder höher<br>Android 11.0 or above<br>Linux Kernel 5.15 or above |
|-----------------------------|--|

## Interface

|             |                              |
|-------------|------------------------------|
| priključak: | 1 x 5 pin USB 2.0 WTB female |
|-------------|------------------------------|

## Technical characteristics

|                            |                                 |
|----------------------------|---------------------------------|
| Operating voltage:         | 5 V DC                          |
| Radna temperatura:         | 5 °C ~ 50 °C                    |
| Maximum screen resolution: | 3264 x 2448 @ 15 fps            |
| Minimum screen resolution: | 320 x 240 @ 30 fps              |
| Sensor Size:               | 1/3.2"                          |
| Current consumption:       | 110 mA ± 5 mA @ 640 x 480 Pixel |

## Physical characteristics

|          |         |
|----------|---------|
| Duljina: | 60,0 mm |
| Width:   | 9,0 mm  |
| Height:  | 5,8 mm  |