


# Delock USB 2.0 Camera Module 5 mega pixel IMX179QQH5-C Sony® Starvis™ 64° V51 auto focus

## Description

This USB 2.0 camera module by Delock offers in a compact construction a high resolution and low power consumption. It is ideally suited for installation in industrial components like IPCs, embedded systems, sensors and in device manufacture. The use of a photosensitive sensor with back side illumination (BSI) expands the scope of this module.

## Note

The auto focus of this camera module can be deactivated and adjusted individually.



**Item no. 96361**

EAN: 4043619963614

Country of origin: China

Package: Retail Box

## Technical details

- Connector: 1 x 5 pin USB 2.0 pin header female SMT, pitch 1.00 mm
- Resolution: 5.0 megapixel
- With optical IR filter
- Current consumption: sensor active: 110 mA ± 5 mA @ 640 x 480 pixel
- Operating voltage: 5 V DC
- Operating temperature: 5 °C ~ 50 °C
- Operating humidity: 20 ~ 80 %
- Sensor size: 1/3.2"
- Sensitivity: 0.6 V / lx s
- Signal-to-noise ratio (SNR): ca. 36 dB
- Dynamic range: 68 dB
- Auto focus: 0.2 m - infinite
- Aperture: F/2.8
- Frame rates:
  - 320 x 240 @ 30 Hz
  - 352 x 288 @ 30 Hz
  - 640 x 480 @ 30 Hz
  - 900 x 600 @ 30 Hz
  - 1280 x 720 @ 30 Hz

1600 x 1200 @ 30 Hz

1920 x 1080 @ 30 Hz

2048 x 1536 @ 20 Hz

2560 x 1440 @ 30 Hz

2592 x 1944 @ 20 Hz

- Dimensions (LxWxH): ca. 60.0 x 9.0 x 5.8 mm

---

## System requirements

- Android 11.0 or above
- Chrome OS
- Linux Kernel 5.15 or above
- Mac OS 12.4 or above
- Windows 10/10-64/11


---

## Package content

- Camera Module
- CD with user manual

---

## Images



## General

Supported operating system:	Chrome OS Windows 11 Mac OS 12.4 oder höher Android 11.0 or above Linux Kernel 5.15 or above
-----------------------------	--

## Interface

connector:	1 x 5 pin USB 2.0 WTB female
------------	------------------------------

## Technical characteristics

Operating voltage:	5 V DC
Operating temperature:	5 °C ~ 50 °C
Maximum screen resolution:	2592 x 1944 @ 20 fps
Minimum screen resolution:	320 x 240 @ 30 fps
Sensor Size:	1/3.2"
Current consumption:	110 mA ± 5 mA @ 640 x 480 Pixel

## Physical characteristics

Length:	60.0 mm
Width:	9.0 mm
Height:	5.8 mm