


Delock WLAN 802.11 ac/a/h/b/g/n Antenna I-PEX Inc., MHF® I plug 1.6 dBi 23 cm PIFA internal

Description

This antenna by Delock allows the usage of the 2.4 GHz + 5 GHz WLAN bands indoors.



Item no. 86388

EAN: 4043619863884

Country of origin: Taiwan,
Republic of China

Package: Zip poly bag

Technical details

- Connector: 1 x I-PEX Inc., MHF® I plug
- Frequency range:
2400 MHz - 2500 MHz
5150 MHz - 5875 MHz
- Bluetooth, WLAN 2.4 / 5.0 GHz, ZigBee 2.4 GHz, ISM
- Antenna gain: 1.6 dBi
- Impedance: 50 Ohm
- VSWR: 2.5
- Operating temperature: -10 °C ~ 55 °C
- Cable type: coaxial
- Cable type: 1.13
- Cable colour: black
- Cable diameter: ca. 1.13 mm
- Cable attenuation: 3.2 dB @ 2.4 GHz per meter
- Smallest bending radius: 4.5 mm
- Dimensions (LxWxH): ca. 21.5 x 7.0 x 6.0 mm
- Length incl. connectors (L): ca. 23 cm









System requirements

- Device with one free I-PEX Inc., MHF® I port

Package content

- Antenna

Images



General

Suitable for indoor:	yes
----------------------	-----

Interface

connector:	1 x I-PEX Inc., MHF® I plug
------------	-----------------------------

Technical characteristics

Frequency range:	5150 MHz - 5875 MHz 2400 MHz - 2500 MHz
Antenna gain:	1.6 dBi
Impedance:	50 Ω
Operating temperature:	-10 °C ~ 55 °C
VSWR:	2.0

Physical characteristics

Cable category:	coaxial
Cable type:	1.13
Cable attenuation:	3.2 dB @ 2.4 GHz per meter
Cable colour:	black
Cable length incl. connector:	23 cm
Length:	21.5 mm
Width:	6 mm
Height:	7 mm
Smallest bending radius:	4.5 mm