

# Delock PCI Express x4 Card to 2 x external USB 5 Gbps Type-A + 2 x internal USB 5 Gbps Type-A Dual Channel - Low Profile Form Factor

## Description

This PCI Express card by Delock expands the PC by **two external USB 5 Gbps** ports as well as **two internal USB 5 Gbps** ports . Different USB devices such as USB flash memory, card reader, external enclosure etc. can be connected.


## Dual channel

The Delock PCIe card provides two dedicated 5 Gbit/s channels, each channel being connected to two USB ports. This design with independent ports improves performance by transferring data to two individual PCI Express channels. This allows the data transfer to take place faster.

If several USB devices are connected to a conventional PCI Express card (single bus), the maximum bandwidth is distributed to all ports. Due to the **two used host controller chipsets**, the Delock card only uses two ports instead of four, on one channel. This **reduces bottlenecks** and doubles the available bandwidth.

## No additional power supply

Due to the **on-board 5 V DC power supply control**, the PCIe card does not require any additional power supply.



**Item no. 90282**

EAN: 4043619902828

Country of origin: China

Package: Box

## Technical details

- Connectors:  
external:  
2 x USB 5 Gbps Type-A female  
internal:  
2 x USB 5 Gbps Type-A female  
1 x PCI Express x4, V2.0
- Chipset: 2 x Renesas uPD720202, Asmedia ASM1806
- Data transfer rate up to 5 Gbps
- Supports UASP

- Supports eXtensible Host Controller Interface (xHCI) specification 1.0
- Bootable

---

## System requirements

- Linux Kernel 6.2 or above
- Windows 10/10-64/11
- PC with one free PCI Express x4 / x8 / x16 / x32 slot

---

## Package content

- PCI Express card USB 5 Gbps
- Low profile bracket
- User manual

---

## Images



## General

Supported operating system:	Windows 10 32-Bit Windows 10 64-Bit Windows 11 Linux Kernel 6.2 or above
-----------------------------	---

## Interface

External:	2 x USB 5 Gbps Type-A female
Internal:	1 x PCI Express x4, V2.0 2 x USB 5 Gbps Type-A female

## Technical characteristics

Chipset:	Renesas uPD720202 Asmedia ASM1806
Data transfer rate:	5 Gbps